

**FRIEDMAN & BRUYA, INC.****ENVIRONMENTAL CHEMISTS**

Date of Report: April 1, 1993

Date Received: March 30, 1993

Project: 7238, Metro Self Monitor, PO #M28291

**RESULTS FROM THE ANALYSIS OF THE WATER SAMPLE  
FOR CHROMIUM, COPPER, NICKEL AND ZINC**  
Results Reported as mg/L (ppm)

<u>Sample ID</u>	<u>Chromium</u>	<u>Copper</u>	<u>Nickel</u>	<u>Zinc</u>
M28291	2.7	1.0	1.8	0.7
<b><u>Quality Assurance</u></b>				
Blank	<0.05	<0.05	<0.05	<0.05
M28291 (Duplicate)	2.7	1.0	1.9	0.7
M28291 (Matrix Spike) % Recovery	85%	96%	100%	98%
M28291 (Matrix Spike Duplicate) % Recovery	85%	96%	101%	98%
Spike Blank % Recovery	102%	102%	107%	104%
Spike Level	5	5	10	5

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3008-B 16th Avenue West  
Seattle, WA 98119  
FAX: (206) 283-5044

April 1, 1993


Gerry Thompson, Project Leader  
Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134

Dear Mr. Thompson:

Enclosed are the results from the testing of material submitted on March 30, 1993 from Project 7238, Metro Self Monitor, PO #M28291.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,



Bradley T. Benson  
Chemist



BTB/dp

Enclosures

3:30 PM  
3:30 PM  
4:30 PM

Send Report To: ALASKAN Copper Contact Gerzid Thompson  
Company 625 HANCOCK ST  
Address SEATTLE WA 98134  
City, State, Zip (206) 623-5800 x218  
Phone # 3/30  
Date

[illegible]

SIGNATURE	PRINT NAME	COMPANY	Date	Time
Relinquished by: 	Gerald Thompson	Alaska Copper	3/30/93	1:33 pm
Received by: 	A. Friedman	F4B, I	3-30-93	1:34 pm
Relinquished by:				
Received by:				

**FRIEDMAN & BRUYA, INC.**

**ENVIRONMENTAL CHEMISTS**

Andrew John Friedman  
James E. Bruya, Ph.D.  
(206) 285-8282

3008-B 16th Avenue West  
Seattle, WA 98119  
FAX: (206) 283-5044

**DUPLICATE COPY**

**April 1, 1993**

**INVOICE # 93ACU0401-1**

**Alaskan Copper Works  
628 South Hanford  
Seattle, WA 98134**

**RE: Project 7238, Metro Self Monitor, PO #M28291: Results of testing requested  
by Gerry Thompson, Project Leader and submitted on March 30, 1993.**

**1 water sample analyzed for Chromium, Copper, Nickel,  
and Zinc @ \$65 per sample**

**\$ 65.00**

**Amount Due .....**

**\$ 65.00**